



# FABRICATORS SUPPLY, LLC

210 E. Morrow St. \* West Point, MS 39773 \* 662.492.0550

Size NPS	Pipe O.D.	Wall Thickness	Pipe I.D.	Weight per Foot	Standard to XXHY	Schedule Pipe #	Section Modulus	Gallon Cap. Per Linear Ft.
1/2	0.84	0.109	0.622	0.85	STD	40	0.0407	0.0158
		0.147	0.546	1.09	XHY	80	0.0478	0.0122
		0.188	0.464	1.31		160	0.0528	0.0088
		0.294	0.252	1.72	XXHY		0.0577	0.0026
3/4	1.05	0.113	0.824	1.13	STD	40	0.0705	0.0277
		0.154	0.742	1.48	XHY	80	0.0853	0.0225
		0.219	0.612	1.95		160	0.1006	0.0153
		0.308	0.434	2.44	XXHY		0.1103	0.0077
1	1.315	0.133	1.049	1.68	STD	40	0.1328	0.0449
		0.179	0.957	2.17	XHY	80	0.1606	0.0374
		0.25	0.815	2.85		160	0.1904	0.0271
		0.358	0.599	3.66	XXHY		0.2136	0.0146
1.25	1.66	0.14	1.38	2.27	STD	40	0.2346	0.0777
		0.191	1.278	3	XHY	80	0.2913	0.0666
		0.25	1.16	3.77		160	0.3421	0.0549
		0.382	0.896	5.22			0.411	0.0328
1.5	1.9	0.145	1.61	2.72	STD	40	0.3262	0.1058
		0.2	1.5	3.63	XHY	80	0.4118	0.0918
		0.281	1.338	4.86		160	0.5079	0.073
		0.4	1.1	6.41			0.5977	0.0494
2	2.375	0.109	2.157	2.64		10	0.4205	0.1898
		0.154	2.067	3.66	STD	40	0.5606	0.1743
		0.218	1.939	5.03	XHY	80	0.7309	0.1534
		0.25	1.875	5.68			0.8045	0.1434
		0.281	1.813	6.29			0.8666	0.1344
		0.344	1.687	7.47		160	0.9806	0.1161
2.5	2.875	0.436	1.503	9.04	XXHY		1.1043	0.0922
		0.12	2.635	3.53		10	0.687	0.2833
		0.203	2.469	5.8	STD.	40	1.064	0.2487
		0.216	2.443	6.14			1.1169	0.2435
		0.25	2.375	7.02			1.2468	0.2301
		0.276	2.323	7.67	XHY	80	1.3386	0.2202
3	3.5	0.375	2.125	10.02		160	1.6371	0.1842
		0.552	1.771	13.71	XXXHY		1.9971	0.128
		0.12	3.26	4.34			1.0411	0.4336
		0.156	3.188	5.58			1.3122	0.4147



# FABRICATORS SUPPLY, LLC

210 E. Morrow St. \* West Point, MS 39773 \* 662.492.0550

Size NPS	Pipe O.D.	Wall Thickness	Pipe I.D.	Weight per Foot	Standard to XXHY	Schedule Pipe #	Section Modulus	Gallon Cap. Per Linear Ft.
		0.172	3.156	6.12			1.4265	0.4064
		0.188	3.124	6.66			1.5342	0.3984
		0.216	3.068	7.58	STD.	40	1.7241	0.384
		0.25	3	8.69			1.9372	0.3672
		0.281	2.938	9.67			2.1207	0.3521
		0.3	2.9	10.26	XHY	80	2.2253	0.3431
		0.438	2.624	14.34		160	2.8774	0.2811
		0.6	2.3	18.6	XXHY		3.4243	0.2158
3.5	4	0.12	3.76	4.98		10	1.3776	0.5768
		0.226	3.548	9.12	STD.	140	2.3939	0.5136
		0.25	3.5	10.02			2.6001	0.4998
		0.281	3.438	11.17			2.8562	0.4821
		0.318	3.364	12.52	XHY	80	3.14	0.4617
		0.636	2.728	22.87	XXHY		4.8795	0.3085
4	4.5	0.12	4.26	5.62		10	1.7612	0.7404
		0.156	4.188	7.24			2.2354	0.7156
		0.188	4.124	8.67			2.6296	0.6942
		0.203	4.094	9.32			2.8173	0.6838
		0.219	4.062	10.02			3.0184	0.6725
		0.237	4.026	10.8	STD.	40	3.2145	0.6613
		0.25	4	11.36			3.3611	0.6528
		0.281	3.938	12.67		60	3.7021	0.6326
		0.312	3.876	13.97			4.0273	0.6126
		0.337	3.826	15	XHY	80	4.2713	0.5972
		0.438	3.624	19.02		120	5.179	0.5361
		0.531	3.438	22.53		160	5.8997	0.4822
		0.674	3.152	27.57	XXHY		6.7927	0.4054
5	5.563	0.188	5.187	10.8			4.1161	1.0979
		0.219	5.125	12.51			4.7279	1.0716
		0.258	5.047	14.63	STD.	40	5.45	1.0391
		0.281	5.001	15.87			5.8644	1.0204
		0.312	4.939	17.51			6.4074	0.99647
		0.344	4.875	19.19			6.9358	0.9696
		0.375	4.813	20.8	XHY	80	7.43	0.9449
		0.5	4.563	27.06		120	9.2534	0.8495
		0.625	4.313	32.99		160	10.7976	0.759



# FABRICATORS SUPPLY, LLC

210 E. Morrow St. \* West Point, MS 39773 \* 662.492.0550

Size NPS	Pipe O.D.	Wall Thickness	Pipe I.D.	Weight per Foot	Standard to XXHY	Schedule Pipe #	Section Modulus	Gallon Cap. Per Linear Ft.
		0.75	4.063	38.59	XXHY		12.0954	0.6734
6	6.625	0.109	6.407	7.59		5	3.5769	1.6748
		0.134	6.357	9.3		10	4.3475	1.6488
		0.156	6.313	10.79			5.0107	1.626
		0.188	6.249	12.94			5.9351	1.5937
		0.203	6.219	13.94			6.3804	1.578
		0.219	6.187	15			6.8261	1.562
		0.25	6.125	17.04			7.6905	1.5306
		0.28	6.065	18.99	STD.	40	8.4958	1.5008
		0.312	6.001	21.06			9.3416	1.4688
		0.344	5.937	23.1			10.111	1.4391
		0.375	5.875	25.05			10.893	1.4082
		0.432	5.761	28.6	XHY	80	12.224	1.3541
		0.5	5.625	32.74			13.711	1.2909
		0.562	5.501	36.43		120	14.9806	1.2346
		0.625	5.375	40.09			16.1821	1.1787
		0.719	5.187	45.39		160	17.8243	1.0977
		0.864	4.897	53.21	XXHY		20.025	0.9784
		1	4.625	60.13			21.7719	0.8727
		1.125	4.375	66.14			23.1237	0.7809
8	8.625	0.188	8.25	16.96			10.287	2.7769
		0.203	8.219	18.28			11.049	2.7561
		0.219	8.187	19.68			11.841	2.735
		0.237	8.151	21.25			12.796	2.7094
		0.25	8.125	22.38		20	13.385	2.6934
		0.277	8.071	24.72		30	14.69	2.6577
		0.312	8.001	27.73			16.368	2.6112
		0.322	7.981	28.58	STD.	40	16.809	2.5988
		0.344	7.937	30.45			17.808	2.5706
		0.375	7.875	33.07			19.214	2.5302
		0.406	7.813	35.67		60	20.587	2.4902
		0.438	7.749	38.33			21.928	2.4505
		0.5	7.625	43.43	XHY	80	24.514	2.3721
		0.562	7.501	48.44			26.963	2.2956
		0.594	7.437	51		100	28.177	2.2425
		0.625	7.375	53.45			29.324	2.2191



# FABRICATORS SUPPLY, LLC

210 E. Morrow St. \* West Point, MS 39773 \* 662.492.0550

Size NPS	Pipe O.D.	Wall Thickness	Pipe I.D.	Weight per Foot	Standard to XXHY	Schedule Pipe #	Section Modulus	Gallon Cap. Per Linear Ft.
		0.719	7.187	60.77		120	32.63	2.1074
		0.812	7.001	67.82		140	35.654	1.9998
		0.875	6.875	72.49	XXHY		37.562	1.9284
		0.906	6.813	74.76		160	38.476	1.8938
10	10.75	0.188	10.374	21.23			16.193	4.3909
		0.203	10.374	22.89			17.407	4.3655
		0.219	10.312	24.65			18.675	4.339
		0.237	10.276	26.64			20.209	4.3066
		0.25	10.25	28.06		20	21.156	4.2865
		0.279	10.192	31.23			23.418	4.2382
		0.307	10.136	34.27		30	25.566	4.1917
		0.344	10.062	38.27			28.332	4.1311
		0.365	10.02	40.52	STD.	40	29.904	4.0963
		0.375	10	41.59			30.637	4.08
		0.438	9.874	48.28			35.118	3.9786
		0.5	9.75	54.79	XHY	60	39.433	3.8785
		0.562	9.626	62.21			43.584	3.7797
		0.594	9.562	64.49		80	45.628	3.7304
		0.625	9.5	67.65			47.577	3.6822
		0.719	9.312	77.1		100	53.307	3.5379
		0.812	9.126	86.26			58.633	3.398
		0.844	9.062	89.38		120	63.391	3.3505
		1	8.75	104.23	XXHY	140	68.429	3.1237
		1.125	8.5	115.75		160	74.309	2.9378
12	12.75	0.188	12.374	25.25			22.968	6.2471
		0.203	12.374	27.23			24.706	6.2169
		0.219	12.312	29.34			26.524	6.1852
		0.237	12.276	31.7			28.727	6.1465
		0.25	12.25	33.41		20	30.09	6.1225
		0.281	12.188	37.46			33.602	6.0602
		0.312	12.126	41.48			37.06	5.9982
		0.33	12.09	43.81		30	38.973	5.9636
		0.344	12.062	45.62			40.465	5.9365
		0.375	12	49.61	STD.		43.817	5.8752
		0.406	11.938	53.57		40	47.104	5.8146
		0.438	11.874	57.65	XHY		50.367	5.7534



# FABRICATORS SUPPLY, LLC

210 E. Morrow St. \* West Point, MS 39773 \* 662.492.0550

Size NPS	Pipe O.D.	Wall Thickness	Pipe I.D.	Weight per Foot	Standard to XXHY	Schedule Pipe #	Section Modulus	Gallon Cap. Per Linear Ft.
		0.5	11.75	65.48			56.713	5.6329
		0.562	11.626	73.22		60	62.828	5.5147
		0.625	11.5	81.01			68.811	5.3958
		0.688	11.374	88.71		80	74.636	5.2782
		0.75	11.25	96.21			80.145	5.1637
		0.844	11.062	107.42		100	88.209	4.9926
		1	10.75	125.61	XXHY	120	100.65	4.7149
		1.125	10.5	139.81		140	109.919	4.4982
		1.312	10.126	160.42		160	122.561	4.1835
14	14	0.25	13.5	36.75		10	36.471	7.4358
		0.281	13.438	41.21			40.755	7.3671
		0.312	13.376	45.65		20	44.979	7.2987
		0.344	13.312	50.22			49.144	7.2307
		0.375	13.25	54.62	STD.	30	53.251	7.1629
		0.406	13.188	59			57.301	7.0955
		0.438	13.124	63.5		40	61.356	7.0274
		0.459	13.082	66.44			64.023	6.9824
		0.5	13	72.16	XHY		69.108	6.8952
		0.562	12.876	80.73			76.701	6.7632
		0.594	12.812	85.13		60	80.466	6.6972
		0.625	12.75	89.36			84.076	6.6325
		0.688	12.624	97.91			91.317	6.5021
		0.75	12.5	106.23		80	98.188	6.375
		0.812	12.376	114.48			104.909	6.2491
		0.938	12.124	130.98		100	117.907	5.9972
		1.094	11.812	150.93		120	132.916	5.6925
		1.25	11.5	170.37		140	146.781	5.3958
		1.406	11.188	189.29		160	159.562	5.107
16	16	0.188	15.624	31.78			36.498	9.9696
		0.203	15.594	34.28			39.298	9.9214
		0.219	15.562	36.95			42.268	9.8807
		0.237	15.526	39.94			45.759	9.8326
		0.25	15.5	42.09		10	47.958	9.8022
		0.281	15.438	47.22			53.636	9.7233
		0.312	15.376	52.32		20	59.245	9.6447
		0.344	15.312	57.57			64.787	9.5665



# FABRICATORS SUPPLY, LLC

210 E. Morrow St. \* West Point, MS 39773 \* 662.492.0550

Size NPS	Pipe O.D.	Wall Thickness	Pipe I.D.	Weight per Foot	Standard to XXHY	Schedule Pipe #	Section Modulus	Gallon Cap. Per Linear Ft.
		0.375	15.25	62.64	STD.	30	70.261	9.4885
		0.406	15.188	67.68			75.668	9.4109
		0.438	15.124	72.86			81.008	9.3336
		0.469	15.062	77.87			86.283	9.2566
		0.5	15	82.85	XHY	40	91.493	9.18
		0.562	14.876	92.75			101.72	9.0276
		0.625	14.75	102.72			111.69	8.8765
		0.656	14.688	107.6		60	116.572	8.8021
		0.688	14.624	112.62			121.519	8.7255
		0.75	14.5	122.27			130.88	8.5782
		0.812	14.376	131.84		80	140.081	8.4321
		1.031	13.938	164.98		100	170.598	7.9261
		1.219	13.562	192.61		120	194.599	7.5042
		1.438	13.124	223.85		140	220.15	7.0274
		1.594	12.812	245.48		160	236.857	6.6972
18	18	0.219	17.562	41.63			53.741	12.583
		0.237	17.526	45			57.983	12.532
		0.25	17.5	47.44			61.015	12.495
		0.281	17.438	53.23			68.284	12.406
		0.312	17.376	58.99		20	75.475	12.317
		0.344	17.312	64.93			82.589	12.229
		0.375	17.25	70.65	STD.		89.626	12.141
		0.406	17.188	76.36			96.587	12.053
		0.438	17.124	82.23		30	103.47	11.965
		0.469	17.062	87.89			110.28	11.878
		0.5	17	93.54	XHY		117.02	11.791
		0.562	16.876	104.76		40	130.27	11.618
		0.625	16.75	116.09			143.23	11.447
		0.688	16.624	127.32		60	156.044	11.275
		0.75	16.5	138.3			168.29	11.108
		0.812	16.376	149.2			180.356	10.941
		0.938	16.124	171.08		80	203.955	10.607
		1.156	15.688	208.15		100	242.25	10.041
		1.275	15.25	227.96		120	277.636	9.489
		1.562	14.876	274.48		140	305.535	9.029
		1.781	14.438	308.79		160	335.638	8.505



# FABRICATORS SUPPLY, LLC

210 E. Morrow St. \* West Point, MS 39773 \* 662.492.0550

Size NPS	Pipe O.D.	Wall Thickness	Pipe I.D.	Weight per Foot	Standard to XXHY	Schedule Pipe #	Section Modulus	Gallon Cap. Per Linear Ft.	
20	20	0.219	19.562	46.31			66.59	15.613	
		0.239	19.522	50.49			72.454	15.549	
		0.25	19.5	52.78			75.643	15.514	
		0.281	19.438	59.23			84.699	15.415	
		0.312	19.376	65.66			93.668	15.316	
		0.344	19.312	72.28			102.55	15.217	
		0.375	19.25	78.67		STD.	20	111.35	15.119
		0.406	19.188	85.04				119.71	15.025
		0.438	19.124	91.59				128.69	14.923
		0.469	19.062	97.92				137.23	14.826
		0.5	19	104.23		XHY	30	145.69	14.729
		0.562	18.876	116.78				162.36	14.536
		0.594	18.812	123.23			40	170.67	14.439
		0.625	18.75	129.45				178.7	14.344
		0.688	18.624	142.03				194.89	14.152
		0.75	18.5	154.34				210.41	13.964
0.812	18.376	166.56			60	225.73	13.777		
1.031	17.938	209.06			80	277.23	13.128		
1.281	17.438	256.34			100	331.58	12.407		
1.5	17	296.65			120	375.51	11.791		
1.752	16.52	341.41			140	421.67	11.108		
1.968	16.064	379.36			160	458.63	10.528		
22	22	0.25	21.522	58.13			91.842	18.86	
		0.281	21.438	65.24			102.88	18.75	
		0.312	21.376	72.34			113.82	18.641	
		0.344	21.312	79.64			124.67	18.532	
		0.375	21.25	86.69		STD.	20	135.42	18.424
		0.406	21.188	93.72				146.08	18.315
		0.438	21.121	100.96				156.65	18.228
		0.469	21.262	107.95				167.12	18.1
		0.5	21.222	114.92		XHY	30	177.5	17.993
		0.562	22.876	128.79				197.98	17.779
0.625	22.752	142.81				218.08	17.567		
0.688	22.621	156.74				238.06	17.354		
0.75	22.522	170.37				257.24	17.146		
0.812	22.376	183.92				276.21	16.939		



# FABRICATORS SUPPLY, LLC

210 E. Morrow St. \* West Point, MS 39773 \* 662.492.0550

Size NPS	Pipe O.D.	Wall Thickness	Pipe I.D.	Weight per Foot	Standard to XXHY	Schedule Pipe #	Section Modulus	Gallon Cap. Per Linear Ft.
		0.875	22.252	197.62		60	294.99	16.731
		1.125	19.75	251.25		80	366.4	15.915
		1.252	19.522	277.27		100	400.13	15.514
		1.625	18.752	353.94		120	493.94	14.344
		1.875	18.252	403.38		140	550.47	13.589
		2.125	17.752	451.49		160	602.55	12.855
24	24	0.252	23.5	63.47			109.64	22.532
		0.281	23.438	71.25			122.757	22.413
		0.312	23.376	79.01			135.771	22.295
		0.344	23.312	86.99			149.096	22.173
		0.375	23.25	94.71	STD.	20	161.899	22.055
		0.406	23.188	102.4			174.603	21.937
		0.438	23.121	110.32			187.609	21.816
		0.469	23.062	117.98			200.104	21.7
		0.5	23.222	125.61	XHY		212.501	21.583
		0.562	22.876	140.81		30	236.995	21.351
		0.625	22.752	156.17			261.477	21.117
		0.688	22.621	171.45		40	285.56	22.883
		0.75	22.5	186.41			308.867	20.655
		0.812	22.376	201.28			331.795	20.428
		0.875	22.25	216.31			354.702	20.199
		0.938	22.124	231.25			377.227	19.97
		0.969	22.062	238.57		60	388.168	19.859
		1.219	21.562	296.86		80	473.101	18.969
		1.531	20.938	367.74		100	571.121	17.887
		1.812	20.376	429.79		120	652.214	16.939
		2.062	19.876	483.57		140	718.936	16.118
		2.343	19.314	542.44		160	788.153	15.22
26	26	0.25	25.5	68.82			128.985	26.53
		0.281	25.438	77.26			144.46	26.401
		0.312	25.376	85.68		10	159.823	26.273
		0.344	25.312	94.35			175.563	26.14
		0.375	25.25	102.72	STD.		190.696	26.013
		0.406	25.188	111.08			205.721	25.885
		0.438	25.121	119.69			221.114	25.754
		0.469	25.062	128			235.912	25.627





# FABRICATORS SUPPLY, LLC

210 E. Morrow St. \* West Point, MS 39773 \* 662.492.0550

Size NPS	Pipe O.D.	Wall Thickness	Pipe I.D.	Weight per Foot	Standard to XXHY	Schedule Pipe #	Section Modulus	Gallon Cap. Per Linear Ft.
		0.5	25	136.3	XHY	20	250.603	25.5
		0.562	24.876	152.83			279.658	25.248
		0.625	24.75	169.54			308.737	24.993
		0.656	24.688	177.73			322.886	24.867
		0.688	24.624	186.16			337.379	24.739
		0.75	24.5	202.14			365.138	24.49
		0.938	24.124	251.3			446.773	23.744
28	28	0.25	27.5	74.16			149.902	30.855
		0.281	27.438	83.26			167.929	30.716
		0.312	27.376	92.35		10	185.836	30.577
		0.344	27.312	101.7			204.192	30.434
		0.375	27.25	110.71	STD.		221.65	30.296
		0.406	27.188	119.76			239.392	30.159
		0.438	27.124	129.05			257.372	30.017
		0.469	27.062	138.03			274.668	29.88
		0.5	27	146.99	XHY	20	291.847	29.743
		0.531	26.938	155.92			308.907	29.607
		0.562	26.876	164.84			325.852	29.471
		0.594	26.812	174.02			343.219	29.33
		0.625	26.75	182.9		30	359.924	29.195
		0.656	26.688	191.75			376.517	29.06
		0.688	26.621	200.87			393.522	28.92
		0.719	26.562	209.68			409.878	28.786
		0.75	26.5	218.48			426.121	28.652
30	30	0.25	29.5	79.51			172.39	35.506
		0.281	29.438	89.27			193.164	35.357
		0.312	29.376	99.02		10	213.81	35.208
		0.344	29.312	109.06			234.983	35.055
		0.375	29.25	118.76	STD.		255.361	34.907
		0.406	29.188	128.44			275.613	34.759
		0.438	29.121	138.42			296.383	34.607
		0.469	29.062	148.06			316.371	34.46
		0.5	29	157.68	XHY	20	336.234	34.313
		0.562	28.876	176.86			375.579	34.02
		0.625	28.75	196.26		30	415.039	33.724
		0.656	28.688	205.78			434.27	33.578



# FABRICATORS SUPPLY, LLC

210 E. Morrow St. \* West Point, MS 39773 \* 662.492.0550

Size NPS	Pipe O.D.	Wall Thickness	Pipe I.D.	Weight per Foot	Standard to XXHY	Schedule Pipe #	Section Modulus	Gallon Cap. Per Linear Ft.
		0.688	28.624	215.58			453.989	33.429
		0.75	28.5	234.51			491.818	33.14
		0.875	28.25	272.43			566.6	32.561
		1	28	310.01			639.426	31.987
32	32	0.25	31.5	84.85			196.449	40.484
		0.281	31.438	95.28			220.166	40.325
		0.312	31.376	105.69		10	243.744	40.166
		0.344	31.312	116.41			267.936	40.002
		0.375	31.25	126.78	STD.		291.228	39.844
		0.406	31.188	137.12			314.387	39.686
		0.438	31.121	147.78			338.146	39.523
		0.469	31.062	158.08			361.021	39.366
		0.5	31	168.37	XHY	20	383.763	39.209
		0.562	30.876	188.87			428.837	38.896
		0.625	30.75	209.62		30	474.082	38.579
		0.656	30.688	219.8			496.146	38.423
		0.688	30.624	230.29		40	518.78	38.263
		0.75	30.5	250.55			562.229	37.954
		0.875	30.25	291.14			648.231	37.334
		1	30	331.39			732.13	36.72
34	34	0.25	33.5	90.2			222.079	45.788
		0.312	33.376	112.36			275.64	45.559
		0.344	33.312	123.77		10	303.051	45.275
		0.375	33.25	134.79	STD.		329.452	45.107
		0.406	33.188	145.8			355.712	44.939
		0.438	33.121	157.14			382.662	44.766
		0.469	33.062	168.11			408.62	44.598
		0.5	33	179.06	XHY	20	434.434	44.431
		0.562	32.876	200.89			485.628	44.098
		0.625	32.75	222.99		30	537.053	43.76
		0.656	32.688	233.83			562.145	43.595
		0.688	32.621	245		40	587.894	43.424
		0.75	32.5	266.58			637.352	43.095
		0.875	32.25	309.84			735.36	42.434
		1	32	352.77			831.119	41.779
36	36	0.25	35.5	95.54			249.281	51.418



# FABRICATORS SUPPLY, LLC

210 E. Morrow St. \* West Point, MS 39773 \* 662.492.0550

Size NPS	Pipe O.D.	Wall Thickness	Pipe I.D.	Weight per Foot	Standard to XXHY	Schedule Pipe #	Section Modulus	Gallon Cap. Per Linear Ft.
		0.281	35.438	107.3			279.466	51.239
		0.312	35.376	119.03		10	309.496	51.059
		0.344	35.312	131.12			340.328	50.875
		0.375	35.25	142.81	STD.		370.033	50.696
		0.406	35.188	154.48			399.589	50.518
		0.438	35.121	166.51			429.931	50.335
		0.469	35.062	178.14			459.166	50.157
		0.5	35	189.75	XHY	20	488.248	49.87
		0.562	34.876	212.9			545.95	49.626
		0.625	34.75	236.35		30	603.952	49.268
		0.656	34.688	247.85			632.267	49.093
		0.688	34.624	259.71			661.333	48.912
		0.75	34.5	282.62		40	717.19	48.562
		0.875	34.25	328.55			827.989	47.861
		1	34	374.15			936.392	47.165
38	38	0.312	37.376	125.7			345.313	56.996
		0.344	37.312	138.47			379.766	56.801
		0.375	37.25	150.83	STD.		412.971	56.612
		0.406	37.188	163.16			446.017	56.424
		0.438	37.124	175.87			479.953	56.23
		0.469	37.062	188.17			512.659	56.042
		0.5	37	200.44	XHY		545.204	55.855
		0.562	36.876	224.92			609.805	55.481
		0.625	36.75	249.71			674.779	55.103
		0.688	36.624	274.42			739.095	54.726
		0.75	36.5	298.65			801.741	54.356
		0.875	36.25	347.26			926.117	53.614
		1	36	395.53			1047.949	52.877
40	40	0.312	39.376	132.37			383.091	63.259
		0.344	39.312	145.83			421.367	63.054
		0.375	39.25	158.85	STD.		458.266	62.855
		0.406	39.188	171.81			494.997	62.656
		0.438	39.124	185.21			532.727	62.452
		0.469	39.062	198.19			569.1	62.254
		0.5	39	211.13	XHY		605.302	62.057
		0.562	38.876	236.93			677.192	61.663



# FABRICATORS SUPPLY, LLC

210 E. Morrow St. \* West Point, MS 39773 \* 662.492.0550

Size NPS	Pipe O.D.	Wall Thickness	Pipe I.D.	Weight per Foot	Standard to XXHY	Schedule Pipe #	Section Modulus	Gallon Cap. Per Linear Ft.
		0.625	38.75	263.07			749.534	61.264
		0.688	38.624	289.13			821.181	60.866
		0.75	38.5	314.69			891.005	60.476
		0.875	38.25	365.97			1029.743	59.693
		1	38	416.91			1165.791	58.915
42	42	0.25	41.5	111.58			340.312	70.268
		0.312	41.376	139.04			422.83	69.848
		0.344	41.312	153.18			465.13	69.632
		0.375	41.25	166.86	STD.		505.918	69.424
		0.406	41.188	180.52			546.528	69.215
		0.438	41.124	194.6			588.254	69
		0.469	41.062	208.22			628.488	68.792
		0.5	41	221.82	XHY		668.543	68.585
		0.562	40.876	248.95			748.11	68.17
		0.625	40.75	276.44			828.217	67.751
		0.688	42.621	303.84			907.591	67.332
		0.75	40.5	330.72			984.983	66.922
		0.875	40.25	384.67			1138.869	66.098
		1	40	438.29			1289.918	65.28
48	48	0.25	47.5	127.61			445.44	92.055
		0.281	47.438	143.34			499.74	91.815
		0.312	47.376	159.05			555.81	91.575
		0.344	47.312	175.25			629.76	91.328
		0.375	47.25	190.92	STD.		662.95	91.088
		0.406	47.188	206.56			716.37	90.849
		0.438	47.188	222.7			762.71	90.603
		0.469	47.062	238.3			824.29	90.365
		0.5	47	253.89	XHY		877.12	90.127
		0.562	46.876	285			982	89.652
		0.625	46.75	316.52			1087.76	89.171
		0.688	46.621	347.97			1192.74	88.691
		0.75	46.5	378.83			1295.16	88.22
		0.875	46.25	440.8			1499.22	87.274
		1	46	502.43			1699.94	86.333
54	54	0.25	53.5	143.65			564.8	116.78
		0.281	53.438	161.37			633.74	116.51



# FABRICATORS SUPPLY, LLC

210 E. Morrow St. \* West Point, MS 39773 \* 662.492.0550

Size NPS	Pipe O.D.	Wall Thickness	Pipe I.D.	Weight per Foot	Standard to XXHY	Schedule Pipe #	Section Modulus	Gallon Cap. Per Linear Ft.
		0.312	53.376	179.06			702.43	116.24
		0.344	53.312	197.31			773.1	115.96
		0.375	53.25	214.97	STD.		841.33	115.69
		0.406	53.188	232.61			909.32	115.42
		0.438	53.124	250.79			979.22	115.14
		0.469	53.062	268.38			1046.7	114.88
		0.5	53	285.96	XHY		1113.98	114.61
		0.562	52.876	321.04			1247.8	114.07
		0.625	52.75	356.61			1382.82	113.53
		0.688	52.624	392.09			1516.83	112.99
		0.75	52.5	426.93			1647.81	112.45
		0.875	52.25	496.92			1909.12	111.39
		1	52	566.57			2166.66	110.32
60	60	0.25	59.5	159.68			698.2	144.44
		0.312	59.376	199.08			868.68	143.84
		0.375	59.25	239.02	STD.		1042.04	143.23
		0.438	59.121	278.21			1210.51	142.62
		0.5	59	318.03	XHY		1379.32	142.02
		0.562	58.876	357.09			1546.65	141.43
		0.625	58.75	396.7			1713.1	140.82
		0.688	58.621	436.22			1879.84	140.22
		0.75	58.5	475.04			2042.85	139.63
		0.875	58.25	553.04			2366.82	138.44
		1	58	630.71			2689.8	137.25
66	66	0.25	65.5	175.72			845.85	175.04
		0.312	65.376	219.09			1052.65	174.38
		0.375	65.25	263.07	STD.		1261.58	173.71
		0.438	65.124	306.98			1469.26	173.04
		0.5	65	350.1	XHY		1672.54	172.38
		0.562	64.876	393.14			1874.6	171.72
		0.625	64.75	436.79			2078.81	171.06
		0.688	64.624	480.35			2281.78	170.39
		0.75	64.5	523.14			2480.38	169.74
		0.875	64.25	609.16			2877.33	168.42
		1	64	694.85			3269.64	167.12
72	72	0.25	71.5	191.75			1007.63	208.58



# FABRICATORS SUPPLY, LLC

210 E. Morrow St. \* West Point, MS 39773 \* 662.492.0550

Size NPS	Pipe O.D.	Wall Thickness	Pipe I.D.	Weight per Foot	Standard to XXHY	Schedule Pipe #	Section Modulus	Gallon Cap. Per Linear Ft.
		0.375	71.25	287.13	STD.		1503.53	207.12
		0.5	71	382.17	XHY		1994.25	205.67
		0.75	70.5	571.25			2960.21	202.79
		1	70	758.99			3906	199.92
78	78	0.25	77.5	207.79			1183.51	245.05
		0.375	77.25	311.18	STD.		1766.68	243.48
		0.5	77	414.24	XHY		2344.23	241.9
		0.75	76.5	619.35			3482.56	238.77
		1	76	823.13			4598.9	235.66
84	84	0.25	83.5	223.82			1373.52	284.47
		0.375	83.25	335.23	STD.		2051.04	282.77
		0.5	83	446.31	XHY		2722.5	281.07
		0.75	82.5	667.46			4047.31	277.69
		1	82	887.27			5348.36	274.34
90	90	0.25	89.5	239.86			1577.58	326.82
		0.375	89.25	359.28	STD.		2356.62	324.99
		0.5	89	478.38	XHY		3030.84	323.18
		0.75	88.5	715.56			4654.48	319.56
		1	88	951.41			6154.29	315.95
96	96	0.25	95.5	255.89			1903.02	372.11
		0.375	95.25	383.34	STD.		2683.41	370.16
		0.5	95	510.45	XHY		3563.87	368.22
		0.75	94.5	763.67			5304.08	364.35
		1	94	1015.55			7016.97	360.51
102	102	0.25	101.5	271.93			2028.4	420.33
		0.375	101.25	407.39	STD.		3031.4	418.26
		0.5	101	542.52	XHY		4026.89	416.2
		0.75	100.5	811.77			5996.09	112.09
		1	100	1079.69			7936.03	408
108	108	0.25	107.5	287.96			2274.99	471.49
		0.375	107.25	431.44	STD.		3400.61	469.3
		0.5	107	574.59	XHY		4518.38	467.12
		0.75	106.5	859.21			6730.53	462.76
		1	106	1143.83			8911.85	458.43
120	120	0.25	119.5	320.03			2810.48	582.63
		0.375	119.25	479.55	STD.		4202.66	580.2



# FABRICATORS SUPPLY, LLC

210 E. Morrow St. \* West Point, MS 39773 \* 662.492.0550

Size NPS	Pipe O.D.	Wall Thickness	Pipe I.D.	Weight per Foot	Standard to XXHY	Schedule Pipe #	Section Modulus	Gallon Cap. Per Linear Ft.
		0.5	119	638.73	XHY		5586.01	577.77
		0.75	118.5	956.09			8326.77	572.92
		1	118.5	1272.11			11032.98	568.1
144	144	0.375	143.25	575.76	STD.		6061.3	837.24
		0.5	143	767.01	XHY		8060.32	834.32
		0.75	142.5	1148.51			12028.03	828.49
		1	142	1528.67			15953.87	822.69